





100%

ENERGY SAVING

BALIZA30ST

Product introduction



- 1. High class Integrated die-casting Aluminum alloy case.
- 2. Lighting mode use intelligence radar senor, sensor long distance. 3.140° view angle, lighting more area.
- 4. Easy to install, maintained, Auto on/off
- 5. With remote control, UVA technology bring high corrosion resistance, 30m remote control operation, 4 lighting mode













1. Size of products



BALIZA30ST

840*380*200mm



100% ENERGY SAVING





www.luxilum.com





2. Specification BALIZA30ST

LED	Bridge lux chips3030 (Life time
Lumen(LM)	160LM/W
Color Temperature	6000K ~6500K (3000K-7000K can
LifePO4 Battery	346WH 3.2 V
Solar Panel	6V 45W Imported High Efficiency
Install Pole diameter	60-65mm
Mounting Height	6~7m (Suggest install between
Solar Charging Time	6 hours by bright sunlight
Cloudy/Rainy days	7-9 Cloudy/Rainy days
Material	High Class Aluminum anodic oxidation
Product Size	840*380*200mm
LED Lamp	96PCS
Motion sensor	Yes Microwave Sensor)
Remote Control	Yes (1pc remote control per lot)
Waterproof	IP65
Working Temperature	-25°C to 65°C


100%

ENERGY SAVING











100%

ENERGY SAVING





100%

ENERGY SAVING

Technologies Luxilum . Spain Calle Urbanización Itaroa,2-2º 31620 - Huarte . Navarra . Spain

Tel: +34 667551114

email: luxilum@luxilum.com

web: www.luxilum.com









100%

ENERGY SAVING

