

TECHNOLOGIES LUXILUM

Experts In LED Lighting Solutions
Expertos En Soluciones Lumínicas LED



TECHNOLOGIES LUXILUM

Experts In LED Lighting Solutions
Expertos En Soluciones Lumínicas LED



Lux6018h2 Series



Lux6018h2-6W



Lux6018h2-9W



Lux6018h2-12W



Lux6018h2-18W



Lux6018h2-24W



Lux6018h2-36W



Lux6018h2-48W



Lux6018h2-60W

⊙ Technicl Features

- Heat Sink Material: Alumina
- VDE waterproof wire
- For Fountain Pools & Landscape Pools
- Body Material Options: Stainless Steel 316 / Stainless Steel 304
- Working Temperature: -20°C~45°C
- Lens Material: Tempered Glass
- ✓ Lifespan: ≥50,000Hours



⊙ Product Parameter

Model	Lux6018h2-6W	Lux6018h2-9W	Lux6018h2-12W	Lux6018h2-18W
Lihgt Source	Bridgelux 1-3W			
Input Voltage	12V/24V AC/DC			
CCT	3000K/4000K/6000K/RGB			
Beam Angle	15/30/45/60°			
Product Sizes	Ø135*H150MM	Ø160*H155MM	Ø170*H160MM	Ø190*H170MM
Waterproof	IP68			
Model	Lux6018h2-24W	Lux6018h2-36W	Lux6018h2-48W	Lux6018h2-60W
Lihgt Source	Bridgelux 1-3W			
Input Voltage	12V/24V AC/DC			
CCT	3000K/4000K/6000K/RGB			
Beam Angle	15/30/45/60°			
Product Sizes	Ø215*H180MM	Ø240*H200MM	Ø300*H240MM	Ø350*H260MM
Waterproof	IP68			